

Schema documentation for StrategicPlanISOVersion20140401.xsd

august 3, 2015

Table of Contents

Namespace: "urn:ISO:std:iso:17469:tech:xsd:stratml_core"	1
Schema(s)	1
Main schema StrategicPlanISOVersion20140401.xsd	1
Element(s)	1
Element stratml:Acronym	1
Element stratml:AdministrativeInformation	2
Element stratml:StartDate	2
Element stratml:EndDate	3
Element stratml:PublicationDate	3
Element stratml:Source	4
Element stratml:Submitter	4
Element stratml:GivenName	5
Element stratml:Surname	5
Element stratml:PhoneNumber	5
Element stratml:EmailAddress	6
Element stratml:Description	6
Element stratml:Goal	6
Element stratml:Name	8
Element stratml:Identifier	8
Element stratml:SequenceIndicator	8
Element stratml:Stakeholder	9
Element stratml:OtherInformation	10
Element stratml:Objective	10
Element stratml:Mission	11
Element stratml:Organization	12
Element stratml:StrategicPlan	13
Element stratml:StrategicPlanCore	14
Element stratml:Vision	14
Element stratml:Value	15
Complex Type(s)	16
Complex Type stratml:AdministrativeInformationType	16
Complex Type stratml:ContactInformationType	16
Namespace: ""	17
Attribute(s)	17
Attribute stratml:Stakeholder / @StakeholderTypeType	17

Namespace: "urn:ISO:std:iso:17469:tech:xsd:stratml_core"

Schema(s)


Main schema StrategicPlanISOVersion20140401.xsd

Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core	
Properties	attribute form default:	unqualified
	element form default:	qualified
	version:	1.1


Element(s)

Element stratml:Acronym

Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Annotations	documentation
	An abbreviation of a proper name, usually composed of the first letters of each word in the name.


Diagram	
Type	xsd:string
Properties	content: simple
Used by	Element stratml:Organization
Source	<pre><xsd:element name="Acronym" type="xsd:string" id="uuid-a21e6dc4-b67c-4120-b881-ce72882fc958"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">An abbreviation of a proper name, usually composed of the first letters of each word in the name.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element stratml:AdministrativeInformation


Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Diagram	
Type	stratml:AdministrativeInformationType
Properties	content: complex
Used by	Element stratml:StrategicPlan
Model	stratml:StartDate{0,1} , stratml:EndDate{0,1} , stratml:PublicationDate{0,1} , stratml:Source{0,1} , stratml:Submitter{0,1}
Children	stratml:EndDate, stratml:PublicationDate, stratml:Source, stratml:StartDate, stratml:Submitter
Instance	<pre><stratml:AdministrativeInformation xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:stratml_core"> <stratml:StartDate>{0,1}</stratml:StartDate> <stratml:EndDate>{0,1}</stratml:EndDate> <stratml:PublicationDate>{0,1}</stratml:PublicationDate> <stratml:Source>{0,1}</stratml:Source> <stratml:Submitter>{0,1}</stratml:Submitter> </stratml:AdministrativeInformation></pre>
Source	<pre><xsd:element name="AdministrativeInformation" type="stratml:AdministrativeInformationType" id="uuid-9d240214-9768-4dd9-b98a-c62448b63f26"/></pre>

Element stratml:StartDate


Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
-----------	---

Annotations	documentation The year, month and day the element with which it is associated is scheduled to begin.
Diagram	 The diagram shows the StartDate element (Type: xsd:date) connected to the xsd:date primitive type. A callout for the element states: "The year, month and day the element with which it is associated is scheduled to begin." A callout for the primitive type states: "Built-in primitive type. The date datatype represents a calendar date."
Type	xsd:date
Properties	content: simple
Used by	Complex Type stratml:AdministrativeInformationType
Source	<pre><xsd:element name="StartDate" type="xsd:date" id="uuid-11a1e9c3-959b-4c2e-b3de-5e1296eb6ab3"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">The year, month and day the element with which it is associated is scheduled to begin.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element stratml:EndDate


Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Annotations	documentation The year, month, and day the element with which it is associated is projected to cease, if it is not subsequently extended. Typically the end of a calendar or fiscal year.
Diagram	 The diagram shows the EndDate element (Type: xsd:date) connected to the xsd:date primitive type. A callout for the element states: "The year, month, and day the element with which it is associated is projected to cease, if it is not subsequently..." A callout for the primitive type states: "Built-in primitive type. The date datatype represents a calendar date."
Type	xsd:date
Properties	content: simple
Used by	Complex Type stratml:AdministrativeInformationType
Source	<pre><xsd:element name="EndDate" type="xsd:date" id="uuid-19977fd4-556d-41bc-be29-477e05e4c971"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">The year, month, and day the element with which it is associated is projected to cease, if it is not subsequently extended. Typically the end of a calendar or fiscal year.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element stratml:PublicationDate


Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Annotations	documentation The day, month, and year a strategic plan was published in its current form.
Diagram	 The diagram shows the PublicationDate element (Type: xsd:date) connected to the xsd:date primitive type. A callout for the element states: "The day, month, and year a strategic plan was published in its current form." A callout for the primitive type states: "Built-in primitive type. The date datatype represents a calendar date."
Type	xsd:date
Properties	content: simple
Used by	Complex Type stratml:AdministrativeInformationType
Source	<pre><xsd:element name="PublicationDate" type="xsd:date" id="uuid-04d8f96c-b5fc-458e-8de4-f5e2746e8b8b"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">The day, month, and year a strategic plan was published in its current form.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

```
</xsd:annotation>
</xsd:element>
```

Element stratml:Source


Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Annotations	documentation The Web address (URL) for the authoritative source of this document.
Diagram	
Type	xsd:anyURI
Properties	content: simple
Used by	Complex Type stratml:AdministrativeInformationType
Source	<pre><xsd:element name="Source" type="xsd:anyURI" id="uuid-03b90177-d13b-4e32-ada9-7c7a1eb1703b"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">The Web address (URL) for the authoritative source of this document.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element stratml:Submitter


Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Annotations	documentation The person submitting the plan in StratML format.
Diagram	
Type	stratml:ContactInformationType
Properties	content: complex
Used by	Complex Type stratml:AdministrativeInformationType
Model	stratml:GivenName{0,1} , stratml:Surname{0,1} , stratml:PhoneNumber{0,1} , stratml:EmailAddress{0,1}
Children	stratml:EmailAddress, stratml:GivenName, stratml:PhoneNumber, stratml:Surname
Instance	<pre><stratml:Submitter xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:stratml_core"> <stratml:GivenName>{0,1}</stratml:GivenName> <stratml:Surname>{0,1}</stratml:Surname> <stratml:PhoneNumber>{0,1}</stratml:PhoneNumber> <stratml:EmailAddress>{0,1}</stratml:EmailAddress> </stratml:Submitter></pre>
Source	<pre><xsd:element name="Submitter" type="stratml:ContactInformationType" id="uuid-1dec258f-1656-4173- acfe-677c1cf24bf3"> <xsd:annotation></pre>

```
<xsd:documentation source="documentation">The person submitting the plan in StratML format.</
xsd:documentation>
</xsd:annotation>
</xsd:element>
```


Element stratml:GivenName

Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Annotations	documentation The given name of the person submitting the plan.
Diagram	 The diagram shows the 'GivenName' element box with 'Type xsd:string' below it. A line connects it to the 'xsd:string' primitive type box. A callout from the element box says 'The given name of the person submitting the plan.' and a callout from the primitive type box says 'Built-in primitive type. The string datatype represents character strings in XML.'
Type	xsd:string
Properties	content: simple
Used by	Complex Type stratml:ContactInformationType
Source	<pre><xsd:element name="GivenName" type="xsd:string" id="uuid-a8c3e55c-96f2-404a-97b5-16022d9369ac"> <xsd:annotation> <xsd:documentation source="documentation">The given name of the person submitting the plan.</ xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element stratml:Surname

Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Annotations	documentation The family name of the person submitting the plan.
Diagram	 The diagram shows the 'Surname' element box with 'Type xsd:string' below it. A line connects it to the 'xsd:string' primitive type box. A callout from the element box says 'The family name of the person submitting the plan.' and a callout from the primitive type box says 'Built-in primitive type. The string datatype represents character strings in XML.'
Type	xsd:string
Properties	content: simple
Used by	Complex Type stratml:ContactInformationType
Source	<pre><xsd:element name="Surname" type="xsd:string" id="uuid-d48842b4-9324-4f71-9502-1a991b707b38"> <xsd:annotation> <xsd:documentation source="documentation">The family name of the person submitting the plan.</ xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element stratml:PhoneNumber

Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Annotations	documentation The telephone number of the person submitting the plan.
Diagram	 The diagram shows the 'PhoneNumber' element box with 'Type xsd:string' below it. A line connects it to the 'xsd:string' primitive type box. A callout from the element box says 'The telephone number of the person submitting the plan.' and a callout from the primitive type box says 'Built-in primitive type. The string datatype represents character strings in XML.'
Type	xsd:string
Properties	content: simple
Used by	Complex Type stratml:ContactInformationType

Source	<pre><xsd:element name="PhoneNumber" type="xsd:string" id="uuid-9084c2d2-4b7e-4189-a784-a86a4469a01c"> <xsd:annotation> <xsd:documentation source="documentation">The telephone number of the person submitting the plan.</xsd:documentation> </xsd:annotation> </xsd:element></pre>
--------	--

Element stratml:EmailAddress

Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Annotations	documentation The Email address of the person submitting the plan.
Diagram	
Type	xsd:string
Properties	content: simple
Used by	Complex Type stratml:ContactInformationType
Source	<pre><xsd:element name="EmailAddress" type="xsd:string" id="uuid-412bb450-d116-4dec-9269-a92209232df1"> <xsd:annotation> <xsd:documentation source="documentation">The Email address of the person submitting the plan.</ xsd:documentation> </xsd:annotation> </xsd:element></pre>


Element stratml:Description

Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Annotations	documentation A sentence or short paragraph defining and explaining a concept.
Diagram	
Type	xsd:string
Properties	content: simple
Used by	Elements stratml:Goal, stratml:Mission, stratml:Objective, stratml:Organization, stratml:Stakeholder, stratml:StrategicPlan, stratml:Value, stratml:Vision
Source	<pre><xsd:element name="Description" type="xsd:string" id="uuid-6289635d-98a7-40bd-978c-37ae6ede5f7e"> <xsd:annotation> <xsd:documentation source="documentation">A sentence or short paragraph defining and explaining a concept.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element stratml:Goal

Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Annotations	documentation General Goal documentation A relatively broad statement of intended results to be achieved over more than one resource allocation and performance measurement cycle. documentation Supports Mission

Diagram



Properties	content: complex
Used by	Element stratml:StrategicPlanCore
Model	stratml:Name , stratml:Description , stratml:Identifier{0,1} , stratml:SequenceIndicator{0,1} , stratml:Stakeholder* , stratml:OtherInformation{0,1} , stratml:Objective*
Children	stratml:Description, stratml:Identifier, stratml:Name, stratml:Objective, stratml:OtherInformation, stratml:SequenceIndicator, stratml:Stakeholder
Instance	<pre> <stratml:Goal xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:stratml_core"> <stratml:Name>{1,1}</stratml:Name> <stratml:Description>{1,1}</stratml:Description> <stratml:Identifier>{0,1}</stratml:Identifier> <stratml:SequenceIndicator>{0,1}</stratml:SequenceIndicator> <stratml:Stakeholder StakeholderTypeType="">{0,unbounded}</stratml:Stakeholder> <stratml:OtherInformation>{0,1}</stratml:OtherInformation> <stratml:Objective>{0,unbounded}</stratml:Objective> </stratml:Goal> </pre>
Source	<pre> <xsd:element name="Goal" id="uuid-1e56b2c9-c6d6-4f79-8ad7-cdb1508a9614"> <xsd:annotation> <xsd:documentation source="documentation">General Goal</xsd:documentation> <xsd:documentation source="documentation">A relatively broad statement of intended results to be achieved over more than one resource allocation and performance measurement cycle.</xsd:documentation> <xsd:documentation source="documentation">Supports Mission</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element ref="stratml:Name" id="uuid-0b19dff1-b98e-470f-ac80-92a755d8aa37"/> <xsd:element ref="stratml:Description" id="uuid-b454f40f-721c-42a1-ba43-3a56ef37766e"/> <xsd:element ref="stratml:Identifier" id="uuid-f0543f96-c5be-4d77-a86d-d2f04122a5ea" minOccurs="0"/> <xsd:element ref="stratml:SequenceIndicator" id="uuid-af23adab-d9d6-46b2-a627-8cd2547d8192" minOccurs="0"/> <xsd:element ref="stratml:Stakeholder" id="uuid-93270a8d-75b5-4052-974e-19e5bd9c5931" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="stratml:OtherInformation" id="uuid-edd05fe8-91ca-4511-8f5b-c360ac07ebe8" minOccurs="0"/> </xsd:sequence> </xsd:complexType> </xsd:element> </pre>

```
<xsd:element ref="stratml:Objective" id="uuid-f0648650-fa4d-49a3-bb6e-e1ca03894334"
minOccurs="0" maxOccurs="unbounded"/>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
```

Element stratml:Name


Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Annotations	documentation A word or short phrase intended to identify a concept within the context in which is it being applied.
Diagram	
Type	xsd:string
Properties	content: simple
Used by	Elements stratml:Goal, stratml:Objective, stratml:Organization, stratml:Stakeholder, stratml:StrategicPlan, stratml:Value
Source	<pre><xsd:element name="Name" type="xsd:string" id="uuid-f6300ca4-40bc-455c-a963-dfef45f558d3"> <xsd:annotation> <xsd:documentation source="documentation">A word or short phrase intended to identify a concept within the context in which is it being applied.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element stratml:Identifier

Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Annotations	documentation A string of alphanumeric characters by which the information contained within an element is distinguished from other versions of the same information as well as information contained in other instances of the same element.
Diagram	
Type	xsd:ID
Properties	content: simple
Used by	Elements stratml:Goal, stratml:Mission, stratml:Objective, stratml:Organization, stratml:Vision
Source	<pre><xsd:element name="Identifier" type="xsd:ID" id="uuid-a9cee972-59f3-42a9-8876-03bd0166689c"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">A string of alphanumeric characters by which the information contained within an element is distinguished from other versions of the same information as well as information contained in other instances of the same element.</ xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element stratml:SequenceIndicator

Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Annotations	documentation An alphanumeric identifier applied to an element to designate its order in a series.

Diagram	
Type	xsd:string
Properties	content: simple
Used by	Elements stratml:Goal, stratml:Objective
Source	<pre><xsd:element name="SequenceIndicator" type="xsd:string" id="uuid-7f10f639-e7cf-4513-804c-5f4f7592c5e5"> <xsd:annotation> <xsd:documentation source="documentation">An alphanumeric identifier applied to an element to designate its order in a series.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element stratml:Stakeholder

Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core																		
Annotations	documentation An individual, organization, or generic group whose interests may be affected by or whose action may be required to achieve a goal or objective.																		
Diagram																			
Properties	content:	complex																	
Used by	Elements	stratml:Goal, stratml:Objective, stratml:Organization																	
Model	stratml:Name , stratml:Description{0,1}																		
Children	stratml:Description, stratml:Name																		
Instance	<pre><stratml:Stakeholder StakeholderTypeType="" xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:stratml_core"> <stratml:Name>{1,1}</stratml:Name> <stratml:Description>{0,1}</stratml:Description> </stratml:Stakeholder></pre>																		
Attributes	<table><tr><th>QName</th><th>Type</th><th>Use</th><th></th></tr><tr><td>StakeholderTypeType</td><td>restriction of xsd:string</td><td>optional</td><td></td></tr><tr><td></td><td>documentation</td><td></td><td></td></tr><tr><td></td><td colspan="3">An attribute indicating whether the stakeholder is an individual person, an organization, or a generic group of people.</td></tr></table>	QName	Type	Use		StakeholderTypeType	restriction of xsd:string	optional			documentation				An attribute indicating whether the stakeholder is an individual person, an organization, or a generic group of people.				
QName	Type	Use																	
StakeholderTypeType	restriction of xsd:string	optional																	
	documentation																		
	An attribute indicating whether the stakeholder is an individual person, an organization, or a generic group of people.																		
Source	<pre><xsd:element name="Stakeholder" id="uuid-1effcb49-9462-4c9b-bdc2-92971c9fc9cf"> <xsd:annotation> <xsd:documentation source="documentation">An individual, organization, or generic group whose interests may be affected by or whose action may be required to achieve a goal or objective.</ xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element ref="stratml:Name" id="uuid-35cc454d-43d4-46b2-a548-eeb3ff8605dd"/> <xsd:element ref="stratml:Description" id="uuid-7e18eb24-475c-4bcf-a3c4-1c43adaf127c" minOccurs="0"/> </xsd:sequence> </xsd:complexType> </xsd:element></pre>																		

```

</xsd:sequence>
<xsd:attribute name="StakeholderTypeType" use="optional" id="uuid-F64605F4-D372-487C-9C5D-
D68F1031BA86">
  <xsd:annotation>
    <xsd:documentation source="documentation" xml:lang="EN">An attribute indicating whether
the stakeholder is an individual person, an organization, or a generic group of people.</
xsd:documentation>
  </xsd:annotation>
  <xsd:simpleType>
    <xsd:restriction base="xsd:string">
      <xsd:enumeration value="Person"/>
      <xsd:enumeration value="Organization"/>
      <xsd:enumeration value="Generic_Group"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:attribute>
</xsd:complexType>
</xsd:element>

```

Element stratml:OtherInformation

Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Annotations	documentation Additional explanation or guidance that is not expressly addressed in other elements of the schema.
Diagram	OtherInformation Type xsd:string Additional explanation or guidance that is not expressly addressed in other elements of the schema. Built-in primitive type. The string datatype represents character strings in XML.
Type	xsd:string
Properties	content: simple
Used by	Elements stratml:Goal, stratml:Objective, stratml:StrategicPlan
Source	<pre> <xsd:element name="OtherInformation" type="xsd:string" id="uuid-2cfca418-05c2-4fa1-b233- d1bd60d0d86a"> <xsd:annotation> <xsd:documentation source="documentation">Additional explanation or guidance that is not expressly addressed in other elements of the schema.</xsd:documentation> </xsd:annotation> </xsd:element> </pre>

Element stratml:Objective

Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Annotations	documentation Performance Goal documentation Strategy documentation A target level of results expressed in units against which achievement is to be measured within a single resource allocation and performance execution cycle.

Diagram	
Properties	content: complex
Used by	Element stratml:Goal
Model	stratml:Name{0,1} , stratml:Description{0,1} , stratml:Identifier{0,1} , stratml:SequenceIndicator{0,1} , stratml:Stakeholder* , stratml:OtherInformation{0,1}
Children	stratml:Description, stratml:Identifier, stratml:Name, stratml:OtherInformation, stratml:SequenceIndicator, stratml:Stakeholder
Instance	<pre><stratml:Objective xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:stratml_core"> <stratml:Name>{0,1}</stratml:Name> <stratml:Description>{0,1}</stratml:Description> <stratml:Identifier>{0,1}</stratml:Identifier> <stratml:SequenceIndicator>{0,1}</stratml:SequenceIndicator> <stratml:Stakeholder StakeholderTypeType="">{0,unbounded}</stratml:Stakeholder> <stratml:OtherInformation>{0,1}</stratml:OtherInformation> </stratml:Objective></pre>
Source	<pre><xsd:element name="Objective" id="uuid-2c39ac60-63c1-4c50-8ec6-26ea646c173b"> <xsd:annotation> <xsd:documentation source="documentation">Performance Goal</xsd:documentation> <xsd:documentation source="documentation">Strategy</xsd:documentation> <xsd:documentation source="documentation">A target level of results expressed in units against which achievement is to be measured within a single resource allocation and performance execution cycle.</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element ref="stratml:Name" id="uuid-36e8852b-2761-460d-b911-0c01c7bdecd3" minOccurs="0"/> <xsd:element ref="stratml:Description" id="uuid-687daacf-3b29-4e91-b1e7-8e9191d17338" minOccurs="0"/> <xsd:element ref="stratml:Identifier" id="uuid-8e762c3e-85b6-4f5c-93d1-a2513667507f" minOccurs="0"/> <xsd:element ref="stratml:SequenceIndicator" id="uuid-abbc7e84-6083-4c89-9c8e-30a9d09616d2" minOccurs="0"/> <xsd:element ref="stratml:Stakeholder" id="uuid-3c9c0a38-4d9b-4641-a0f0-f05e722e6f4c" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="stratml:OtherInformation" id="uuid-75d113e5-ae18-4c6f-87ca-1811557471fb" minOccurs="0"/> </xsd:sequence> </xsd:complexType> </xsd:element></pre>

Element stratml:Mission

Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
-----------	---

Annotations	documentation A brief description of the basic purpose of the organization.
Diagram	
Properties	content: complex
Used by	Element stratml:StrategicPlanCore
Model	stratml:Description{0,1} , stratml:Identifier{0,1}
Children	stratml:Description, stratml:Identifier
Instance	<pre><stratml:Mission xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:stratml_core"> <stratml:Description>{0,1}</stratml:Description> <stratml:Identifier>{0,1}</stratml:Identifier> </stratml:Mission></pre>
Source	<pre><xsd:element name="Mission" id="uuid-755706ea-40d6-40f0-a8e5-998b91390620"> <xsd:annotation> <xsd:documentation source="documentation">A brief description of the basic purpose of the organization.</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element ref="stratml:Description" id="uuid-d4000d59-fc40-4f93-bbae-f92de9808818" minOccurs="0"/> <xsd:element ref="stratml:Identifier" id="uuid-e8484845-ea0e-47f3-8fe2-55b54db21202" minOccurs="0"/> </xsd:sequence> </xsd:complexType> </xsd:element></pre>

Element stratml:Organization

Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Annotations	documentation The legal or logical entity to which the plan or report applies.
Diagram	

Properties	content: complex
Used by	Element stratml:StrategicPlanCore
Model	stratml:Name{0,1} , stratml:Acronym{0,1} , stratml:Identifier{0,1} , stratml:Description{0,1} , stratml:Stakeholder*
Children	stratml:Acronym, stratml:Description, stratml:Identifier, stratml:Name, stratml:Stakeholder
Instance	<pre><stratml:Organization xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:stratml_core"> <stratml:Name>{0,1}</stratml:Name> <stratml:Acronym>{0,1}</stratml:Acronym> <stratml:Identifier>{0,1}</stratml:Identifier> <stratml:Description>{0,1}</stratml:Description> <stratml:Stakeholder StakeholderTypeType="">{0,unbounded}</stratml:Stakeholder> </stratml:Organization></pre>
Source	<pre><xsd:element name="Organization" id="uuid-9d589d53-ec24-4c18-b5db-5be8075c1be5"> <xsd:annotation> <xsd:documentation source="documentation">The legal or logical entity to which the plan or report applies.</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element ref="stratml:Name" id="uuid-e871651e-e943-4414-b0b6-eb1f5754f3be" minOccurs="0"/> <xsd:element ref="stratml:Acronym" id="uuid-eb510ea2-9d70-40ec-95f1-abdf6644e002" minOccurs="0"/> <xsd:element ref="stratml:Identifier" id="uuid-d5b4b082-8326-46a8-a475-533813a4ed29" minOccurs="0"/> <xsd:element ref="stratml:Description" id="uuid-2741f038-8123-4644-a649-dcf19a773673" minOccurs="0"/> <xsd:element ref="stratml:Stakeholder" id="uuid-d9bccbbf-67ae-402c-8914-56d12c1a7190" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </xsd:element></pre>

Element stratml:StrategicPlan

Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Diagram	
Properties	content: complex
Model	stratml:Name , stratml:Description{0,1} , stratml:OtherInformation{0,1} , stratml:StrategicPlanCore , stratml:AdministrativeInformation{0,1}
Children	stratml:AdministrativeInformation, stratml:Description, stratml:Name, stratml:OtherInformation, stratml:StrategicPlanCore
Instance	<pre><stratml:StrategicPlan xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:stratml_core"> <stratml:Name>{1,1}</stratml:Name> <stratml:Description>{0,1}</stratml:Description> <stratml:OtherInformation>{0,1}</stratml:OtherInformation> <stratml:StrategicPlanCore>{1,1}</stratml:StrategicPlanCore> <stratml:AdministrativeInformation>{0,1}</stratml:AdministrativeInformation> </stratml:StrategicPlan></pre>
Source	<pre><xsd:element name="StrategicPlan" id="uuid-63a6e34c-737d-4d24-955b-bbf72d8c1511"> <xsd:complexType> <xsd:sequence> <xsd:element ref="stratml:Name" id="uuid-eeb5b011-9843-4fa3-a280-1af6bb3477f4"/></pre>

```

<xsd:element ref="stratml:Description" id="uuid-8e497247-1d8b-4f09-8332-06d3666f1dae"
minOccurs="0"/>
<xsd:element ref="stratml:OtherInformation" id="uuid-63f013cf-6bd3-4050-a4b3-0eaa33bea69a"
minOccurs="0"/>
<xsd:element ref="stratml:StrategicPlanCore" id="uuid-314a1a55-714a-4b74-85da-4fc705457800"/>
<xsd:element ref="stratml:AdministrativeInformation"
id="uuid-1453760d-6cf8-4916-8c45-862adde59002" minOccurs="0"/>
</xsd:sequence>
</xsd:complexType>
</xsd:element>

```

Element stratml:StrategicPlanCore

Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Diagram	<pre> graph TD SP[StrategicPlanCore] -- 0..∞ --> Org[stratml:Organization] SP -- 0..1 --> Vision[stratml:Vision] SP -- 0..1 --> Mission[stratml:Mission] SP -- 0..∞ --> Value[stratml:Value] SP -- 1..∞ --> Goal[stratml:Goal] </pre>
Properties	content: complex
Used by	Element stratml:StrategicPlan
Model	stratml:Organization*, stratml:Vision{0,1}, stratml:Mission{0,1}, stratml:Value*, stratml:Goal+
Children	stratml:Goal, stratml:Mission, stratml:Organization, stratml:Value, stratml:Vision
Instance	<pre> <stratml:StrategicPlanCore xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:stratml_core"> <stratml:Organization>{0,unbounded}</stratml:Organization> <stratml:Vision>{0,1}</stratml:Vision> <stratml:Mission>{0,1}</stratml:Mission> <stratml:Value>{0,unbounded}</stratml:Value> <stratml:Goal>{1,unbounded}</stratml:Goal> </stratml:StrategicPlanCore> </pre>
Source	<pre> <xsd:element name="StrategicPlanCore" id="uuid-ce9c9293-e374-4800-8d62-9ee87d0c9887"> <xsd:complexType> <xsd:sequence> <xsd:element ref="stratml:Organization" id="uuid-f8d6372e-52e8-4a60-ab1c-274aad8bcf33" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="stratml:Vision" id="uuid-d4dbdad8-0cdd-4294-b091-b8bec961d03b" minOccurs="0"/> <xsd:element ref="stratml:Mission" id="uuid-f66bec3e-2714-49ec-8e15-8820cecba9ae" minOccurs="0"/> <xsd:element ref="stratml:Value" id="uuid-1ab0aa31-a42f-410e-8b2c-29c22eed8a77" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="stratml:Goal" id="uuid-294b80a3-7288-4477-9458-35292f7a47c3" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </xsd:element> </pre>

Element stratml:Vision

Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Annotations	documentation A concise and inspirational statement implicitly relating an organization's purpose to its values, thus motivating its actions toward a future state it strives to achieve.

Diagram		
Properties	content:	complex
Used by	Element	stratml:StrategicPlanCore
Model	stratml:Description{0,1} , stratml:Identifier{0,1}	
Children	stratml:Description, stratml:Identifier	
Instance	<pre><stratml:Vision xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:stratml_core"> <stratml:Description>{0,1}</stratml:Description> <stratml:Identifier>{0,1}</stratml:Identifier> </stratml:Vision></pre>	
Source	<pre><xsd:element name="Vision" id="uuid-5e02d6ec-d669-47c4-b443-e7716bd27528"> <xsd:annotation> <xsd:documentation source="documentation">A concise and inspirational statement implicitly relating an organization's purpose to its values, thus motivating its actions toward a future state it strives to achieve.</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element ref="stratml:Description" id="uuid-8201c15c-8206-49f3-9bd3-d816209a8b3c" minOccurs="0"/> <xsd:element ref="stratml:Identifier" id="uuid-333e71c6-6b27-4bd2-bf39-c6e7b69d0404" minOccurs="0"/> </xsd:sequence> </xsd:complexType> </xsd:element></pre>	

Element stratml:Value

Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core	
Annotations	documentation A principle that is important and helps to define the essential character of the organization.	
Diagram		
Properties	content:	complex
Used by	Element	stratml:StrategicPlanCore
Model	stratml:Name{0,1} , stratml:Description{0,1}	
Children	stratml:Description, stratml:Name	
Instance	<pre><stratml:Value xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:stratml_core"> <stratml:Name>{0,1}</stratml:Name> <stratml:Description>{0,1}</stratml:Description> </stratml:Value></pre>	
Source	<pre><xsd:element name="Value" id="uuid-50f98ade-573c-4afa-8696-1d0e4a2c7ff3"> <xsd:annotation> <xsd:documentation source="documentation">A principle that is important and helps to define the essential character of the organization.</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element ref="stratml:Description" id="uuid-8201c15c-8206-49f3-9bd3-d816209a8b3c" minOccurs="0"/> <xsd:element ref="stratml:Name" id="uuid-333e71c6-6b27-4bd2-bf39-c6e7b69d0404" minOccurs="0"/> </xsd:sequence> </xsd:complexType> </xsd:element></pre>	


```

</xsd:annotation>
<xsd:complexType>
  <xsd:sequence>
    <xsd:element ref="stratml:Name" id="uuid-54768289-ad1d-4983-8b30-081f6b1fdeb3" minOccurs="0"/>
    <xsd:element ref="stratml:Description" id="uuid-f285ccf3-d061-47a5-ac0d-873a8971883b"
minOccurs="0"/>
  </xsd:sequence>
</xsd:complexType>
</xsd:element>

```

Complex Type(s)

Complex Type stratml:AdministrativeInformationType

Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
Diagram	
Used by	Element stratml:AdministrativeInformation
Model	stratml:StartDate{0,1} , stratml:EndDate{0,1} , stratml:PublicationDate{0,1} , stratml:Source{0,1} , stratml:Submitter{0,1}
Children	stratml:EndDate, stratml:PublicationDate, stratml:Source, stratml:StartDate, stratml:Submitter
Source	<pre> <xsd:complexType name="AdministrativeInformationType" id="uuid-32864389-230a-4f77-9c09-c083386fcad9"> <xsd:sequence> <xsd:element ref="stratml:StartDate" id="uuid-9bafef734-ca3f-4d53-bbb1-2d904412a09e" minOccurs="0"/> <xsd:element ref="stratml:EndDate" id="uuid-42642fba-a33a-469b-b1e0-d37b8782a741" minOccurs="0"/> </xsd:sequence> <xsd:element ref="stratml:PublicationDate" id="uuid-6ebfbf00-e08c-4118-8980-aba1f91c3936" minOccurs="0"/> <xsd:element ref="stratml:Source" id="uuid-f2e49267-3f70-497a-827e-3b65644badd8" minOccurs="0"/> <xsd:element ref="stratml:Submitter" id="uuid-6db73538-b4f3-449c-8715-90bb794a6caa" minOccurs="0"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type stratml:ContactInformationType

Namespace	urn:ISO:std:iso:17469:tech:xsd:stratml_core
-----------	---

Diagram	
Used by	Element stratml:Submitter
Model	stratml:GivenName{0,1} , stratml:Surname{0,1} , stratml:PhoneNumber{0,1} , stratml:EmailAddress{0,1}
Children	stratml:EmailAddress, stratml:GivenName, stratml:PhoneNumber, stratml:Surname
Source	<pre> <xsd:complexType name="ContactInformationType" id="uuid-b07e1586-6676-4212-8a6a-4a365a4977ec"> <xsd:sequence> <xsd:element ref="stratml:GivenName" id="uuid-be2396f2-cdf9-498c-82ef-1ce1b9209086" minOccurs="0"/> <xsd:element ref="stratml:Surname" id="uuid-3d5034e0-328a-46a0-b5fb-776e070cca5f" minOccurs="0"/> <xsd:element ref="stratml:PhoneNumber" id="uuid-160fe527-9d1d-423a-bc95-ad48f3257276" minOccurs="0"/> <xsd:element ref="stratml:EmailAddress" id="uuid-9e408a3b-034a-486f-b045-7cc74505b44d" minOccurs="0"/> </xsd:sequence> </xsd:complexType> </pre>

Namespace: ""

Attribute(s)

Attribute stratml:Stakeholder / @StakeholderTypeType

Namespace	No namespace
Annotations	documentation An attribute indicating whether the stakeholder is an individual person, an organization, or a generic group of people.
Type	restriction of xsd:string
Properties	use: optional
Facets	enumeration Person enumeration Organization enumeration Generic_Group
Used by	Element stratml:Stakeholder
Source	<pre> <xsd:attribute name="StakeholderTypeType" use="optional" id="uuid-F64605F4-D372-487C-9C5D-D68F1031BA86"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">An attribute indicating whether the stakeholder is an individual person, an organization, or a generic group of people.</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Person"/> <xsd:enumeration value="Organization"/> <xsd:enumeration value="Generic_Group"/> </xsd:restriction> </xsd:simpleType> </xsd:attribute> </pre>